

BOSCH
All Mountain

COPPERHEAD EVO AM 1

ALL MOUNTAIN | BOSCH

rainbow petrol, black matt, chrome silver
744-20541

400 Wh / 500 Wh / 625 Wh



HERREN



NEW Model!

MONKEY LINK ready

Easily connects accessories with your bike.



light grey, black matt, red
744-20641



BOSCH
PERFORMANCE LINE



**PowerTube
625 Wh ready***

Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Shimano Deore CS-M4100-10 11-46T
Ladegerät	Charger	2A	Bremsen	Brakes	Shimano BR-MT200 hydraulic disc, 180/180 mm Center Lock
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Lenker	Handlebar	BULLS
Display	Display	Bosch Purion	Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	BULLS
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm	Sattel	Saddle	BULLS
Gabel	Fork	BULLS Lytro 34 Air Boost LOR DS, 140 mm	Naben	Hubs	Shimano HB-MT400-B / FH-MT400-B
Dämpfer	Shock	SR Suntour Unair TR LO-R8-Z11 Air Shock, 140 mm	Felgen	Rims	BULLS Eccentric 30 tubeless ready
Schaltwerk	Gearshift	Shimano Deore RD-M5120-SGS Shadow Plus	Bereifung	Tires	Veetire Crown Gem 66-622, 29 x 2.60 / 66-584, 27,5 x 2.60
Gänge	Gear	10-speed	Pedale	Pedal	BULLS MTB
Kurbelgarnitur	Crankset	FSA			

COPPERHEAD EVO AM 2

ALL MOUNTAIN | BOSCH

black matt, black, pearl gold
744-20941

400 Wh / 500 Wh / 625 Wh



HERREN



MONKEY LINK ready
Easily connects accessories with your bike.



PowerTube
625 Wh ready*

Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Shimano Deore CS-M5100-11 11-51T
Ladegerät	Charger	2A	Bremsen	Brakes	Shimano BR-MT420/410 hydraulic disc, 203/180 mm Center Lock
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Lenker	Handlebar	BULLS
Display	Display	Bosch Purion	Vorbau	Stem	MTB-i, CCS with internal cable routing
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	Limotec Alpha 1 dropper post
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm	Sattel	Saddle	Selle Royal Vivo
Gabel	Fork	BULLS Lytro 34 Air Boost LOR DS, 140 mm	Naben	Hubs	Shimano HB-MT400-B / FH-MT400-B
Dämpfer	Shock	SR Suntour Unair TR LO-R8-Z11 Air Shock, 140 mm	Felgen	Rims	BULLS Eccentric 30 tubeless ready
Schaltwerk	Gearshift	Shimano Deore RD-M5100-SGS Shadow Plus	Bereifung	Tires	Schwalbe Nobby Nic Performance Folding, 65-622, 29 x 2.60 / 65-584, 27.5 x 2.60
Gänge	Gear	11-speed	Pedale	Pedal	Wellgo ZZE-01M
Kurbelgarnitur	Crankset	FSA			

COPPERHEAD EVO AM 3

concours blue, black matt, red
744-22141

ALL MOUNTAIN | BOSCH

400 Wh / 500 Wh / 625 Wh



HERREN



MONKEY
LINK ready

Easily connects accessories
with your bike.



PowerTube
625 Wh ready*



VIDEO
ON MEMBERS
AVAILABLE

Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Shimano Deore CS-M6100-12,10-51T
Ladegerät	Charger	2A	Bremsen	Brakes	Shimano Deore BT-M6120/6100 hydraulic disc, 203/203 mm Center Lock
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Lenker	Handlebar	BULLS
Display	Display	Bosch Purion	Vorbau	Stem	MTB-i, CCS with internal cable routing
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	Limotec Alpha 1 dropper post
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm	Sattel	Saddle	Selle Royal Vivo
Gabel	Fork	BULLS Lytro 35 Supreme SL, 150 mm	Naben	Hubs	Shimano HB-MT400-B / FH-MT510-B
Dämpfer	Shock	SR Suntour Edge LOR8, 150 mm	Felgen	Rims	BULLS Eccentric 30 tubeless ready
Schaltwerk	Gearshift	Shimano Deore XT RD-M8100-SGS Shadow Plus	Bereifung	Tires	Schwalbe Magic Mary Evo ST, 62-622, 29 x 2.40 / Schwalbe Hans Dampf Evo ST, 65-584, 27,5 x 2.60
Gänge	Gear	12-speed	Pedale	Pedal	Wellgo ZZE-01M
Kurbelgarnitur	Crankset	FSA			

COPPERHEAD EVO AM 3 ABS

black matt, black
724-20741

ALL MOUNTAIN | BOSCH

400 Wh / 500 Wh / 625 Wh



HERREN



MONKEY LINK ready
Easily connects accessories with your bike.



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Sram SX Eagle CS-PG-1210-A1, 11-50T
Ladegerät	Charger	2A	Bremsen	Brakes	BluBrake ABS/Tektro HD-M745 hydraulic disc, 203/203 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Lenker	Handlebar	BULLS
Display	Display	Bosch Purion	Vorbau	Stem	AS-MTBi, internal cable routing
Rahmen	Frame	aluminium	Sattelstütze	Seatpost	Limotec DP01 dropper post
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm	Sattel	Saddle	Selle Royal Vivo
Gabel	Fork	Fox 36 Float Rhythm, 150 mm	Laufgradsatz	Wheelset	BULLS, boost
Dämpfer	Shock	Fox Float DPS Performance, 150 mm	Bereifung	Tires	Schwalbe Magic Mary Evo SnakeSkin TLE / Hans Dampf Evo SnakeSkin TLE 70-584, 27,5 x 2.80
Schaltwerk	Gearshift	Sram SX Eagle RD-SX-1-A1	Pedale	Pedal	BULLS MTB
Gänge	Gear	12-speed			
Kurbelgarnitur	Crankset	FSA			

BOSCH

Hardtail

LT CX 27,5

anodized blue, black, Kiwi green
744-01041

MOUNTAIN HARDTAIL | BOSCH

400 Wh / 500 Wh

27,5

HERREN



MONKEY
LINK ready

Easily connects accessories
with your bike.



grey matt, black, orange
744-00941



BOSCH
PERFORMANCE LINE



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Shimano Altus CS-HG200-9, 11-36T
Ladegerät	Charger	2A	Bremsen	Brakes	Tektro HD-M275 hydraulic disc, 180/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs.	Lenker	Handlebar	STYX
Display	Display	Bosch Purion	Vorbau	Stem	MTB-S, CCS Slot Mount ready
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	STYX
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm	Sattel	Saddle	BULLS
Gabel	Fork	SR Suntour XCM DS HLO coil, 120 mm	Naben	Hubs	Formula DC-22FQR / DC-22RQR
Schaltwerk	Gearshift	Shimano Acera RD-M3100	Felgen	Rims	STYX DDM-2
Gänge	Gear	9-speed	Bereifung	Tires	Ace of Pace, 27,5 x 2.25, 57-584
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Wellgo, ZZE-01M

LT CX 29

grey matt, black, orange
744-24544

400 Wh / 500 Wh



HERREN



MOUNTAIN HARDTAIL | BOSCH

MONKEY LINK ready
Easily connects accessories with your bike.



anodized blue, black,
Kiwi green
744-24644



BOSCH
PERFORMANCE LINE



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Shimano CS-HG200-9, 11-36T
Ladegerät	Charger	2A	Bremsen	Brakes	Tektro HD-M275 hydraulic disc, 180/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs.	Lenker	Handlebar	STYX
Display	Display	Bosch Purion	Vorbau	Stem	MTB-S, CCS Slot Mount ready
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	STYX
Rahmenhöhe	Framesize	44 cm / 48 cm / 54 cm / 60 cm	Sattel	Saddle	BULLS
Gabel	Fork	SR Suntour XCM DS HLO coil, 100 mm	Naben	Hubs	Formula DC-22FQR / DC-22RQR
Schaltwerk	Gearshift	Shimano Deore RD-M592SGS	Felgen	Rims	STYX DDM-2
Gänge	Gear	9-speed	Bereifung	Tires	Ace of Pace, 57-622, 29 x 2.25
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Wellgo, ZZE-01M

COPPERHEAD E1 27,5

grey matt, black, metallic lime
724-01341

MOUNTAIN HARDTAIL | BOSCH

400 Wh / 500 Wh

27,5

HERREN



MONKEY
LINK ready

Easily connects accessories
with your bike.



anodized blue, black,
metallic lime
724-01241



Antrieb	Drivetrain	Bosch Performance Line GEN3	Kassette	Cassette	Shimano CS-HG200-9, 11-36T
Ladegerät	Charger	2A	Bremsen	Brakes	Tektro HD-M275 hydraulic disc, 180/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs.	Lenker	Handlebar	STYX
Display	Display	Bosch Purion	Vorbau	Stem	MonkeyLink slot stem
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	STYX
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm	Sattel	Saddle	BULLS
Gabel	Fork	SR Suntour XCM DS HLO, 120 mm	Naben	Hubs	Formula DC-20FQR/ DC-22RQR
Schaltwerk	Gearshift	Shimano Alivio RD-M3100-SGS	Felgen	Rims	STYX DDM-2
Gänge	Gear	9-speed	Bereifung	Tires	Ace of Pace, 57-584, 27,5 x 2.25
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Wellgo, ZZE-01M

COPPERHEAD E1 29

anodized blue, black, metallic lime
744-25344

400 Wh / 500 Wh



HERREN



MOUNTAIN HARDTAIL | BOSCH

MONKEY LINK ready
Easily connects accessories with your bike.



grey matt, black, metallic lime
744-25444



Antrieb	Drivetrain	Bosch Performance Line GEN3	Kassette	Cassette	Shimano CS-HG200-9, 11-36T
Ladegerät	Charger	2A	Bremsen	Brakes	Tektro HD-M275 hydraulic disc, 180/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs.	Lenker	Handlebar	STYX
Display	Display	Bosch Purion	Vorbau	Stem	MTB-S, CCS
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	STYX
Rahmenhöhe	Framesize	44 cm / 48 cm / 54 cm / 60 cm	Sattel	Saddle	BULLS
Gabel	Fork	SR Suntour XCM DS HLO, 100 mm	Naben	Hubs	Formula DC-20FQR/ DC-22RQR
Schaltwerk	Gearshift	Shimano Alivio RD-M3100-SGS	Felgen	Rims	STYX DDM-2
Gänge	Gear	9-speed	Bereifung	Tires	Ace of Pace, 57-622, 29 x 2.25
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Wellgo, ZZE-01M

COPPERHEAD E2 27,5

metallic lime, black, anodized blue
744-03041

MOUNTAIN HARDTAIL | BOSCH

400 Wh / 500 Wh



HERREN



MONKEY LINK ready
Easily connects accessories with your bike.



black chrome matt, black, red
744-02941



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Shimano CS-HG200-9, 11-36T
Ladegerät	Charger	2A	Bremsen	Brakes	HD-M275 hydraulic disc, 180/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs.	Lenker	Handlebar	STYX
Display	Display	Bosch Purion	Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	STYX
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm	Sattel	Saddle	STYX
Gabel	Fork	SR Suntour XCM DS HLO coil, 100 mm	Naben	Hubs	Formula DC-20FQR/ DC-2241QR
Schaltwerk	Gearshift	Shimano Deore RD-M592-SGS	Felgen	Rims	BULLS Eccentric 30, tubeless ready
Gänge	Gear	9-speed	Bereifung	Tires	Ace of Pace, 66-584, 27,5 x 2.60
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	WELLGO, ZZE-01M

COPPERHEAD E2 29

black chrome matt, black, red
744-25744

400 Wh / 500 Wh



HERREN



MOUNTAIN HARDTAIL | BOSCH

MONKEY LINK ready
Easily connects accessories with your bike.



metallic lime, black,
anodized blue
744-25844



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Shimano Altus CS-HG200-9, 11-36T
Ladegerät	Charger	2A	Bremsen	Brakes	Tektro HD-M275 hydraulic disc, 180/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs.	Lenker	Handlebar	STYX
Display	Display	Bosch Purion	Vorbau	Stem	MTB-S, CCS Slot Mount ready
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	STYX
Rahmenhöhe	Framesize	44 cm / 48 cm / 54 cm / 60 cm	Sattel	Saddle	BULLS
Gabel	Fork	SR Suntour XCM DS HLO coil, 100 mm	Naben	Hubs	Formula DC-20FQR/ DC-2241QR
Schaltwerk	Gearshift	Shimano Deore RD-592SGS	Felgen	Rims	BULLS Eccentric 30, tubeless ready
Gänge	Gear	9-speed	Bereifung	Tires	Ace of Pace, 58-622, 29 x 2.30
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	WELLGO, ZZE-01M

COPPERHEAD EVO 1 27,5

MOUNTAIN HARDTAIL | BOSCH

rainbow petrol, black matt, liquid orange
744-08041

400 Wh / 500 Wh / 625 Wh

27,5

HERREN




MONKEY LINK ready
Easily connects accessories with your bike.



black matt, black,
anodized blue
744-07941



chrome black matt, black,
metallic lime
744-07741



sage, black matt
744-07841



**PowerTube
625 Wh ready***

Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Shimano Altus CS-HG201-9, 11-36T
Ladegerät	Charger	2A	Bremsen	Brakes	Tektro HD-M275 hydraulic disc, 180/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625Wh: appx. 8,8 hrs.	Lenker	Handlebar	STYX
Display	Display	Bosch Purion	Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	STYX
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm	Sattel	Saddle	BULLS
Gabel	Fork	SR Suntour XCM DS HLO coil, 120 mm	Naben	Hubs	BULLS
Schaltwerk	Gearshift	Shimano Altus RD-M3100-SGS	Felgen	Rims	STYX DDM-2
Gänge	Gear	9-speed	Bereifung	Tires	Supero Edge 57-584, 27,5 x 2.25
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Bulls MTB

COPPERHEAD EVO 1 29

sage, black matt
744-27744

400 Wh / 500 Wh / 625 Wh

MOUNTAIN HARDTAIL | BOSCH



HERREN



MONKEY LINK ready
Easily connects accessories with your bike.



black matt, black,
anodized blue
744-27844



chrome black matt, black,
metallic lime
744-27944



rainbow petrol, black, liquid orange
744-28044



PowerTube
625 Wh ready*

Antrieb	Drivetrain	Bosch Performance Line CX GEN4
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.
Display	Display	Bosch Purion
Rahmen	Frame	aluminium 6061
Rahmenhöhe	Framesize	44 cm / 48 cm / 54 cm / 60 cm
Gabel	Fork	SR Suntour XCM DS HLO Coil, 100 mm
Schaltwerk	Gearshift	Shimano Altus RD-M3100-SGS
Gänge	Gear	9-speed
Kurbelgarnitur	Crankset	FSA

Kassette	Cassette	Shimano Altus CS-HG201-9, 11-36T
Bremsen	Brakes	Tektro HD-M275 hydraulic disc, 180/180 mm
Lenker	Handlebar	STYX
Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Sattelstütze	Seatpost	STYX
Sattel	Saddle	BULLS
Naben	Hubs	BULLS
Felgen	Rims	STYX DDM-2
Bereifung	Tires	Supero Edge 57-622, 29 x 2.25
Pedale	Pedal	BULLS MTB


COPPERHEAD EVO 2 27,5

MOUNTAIN HARDTAIL | BOSCH

black matt, black, pearl gold
744-08541

400 Wh / 500 Wh / 625 Wh

27,5



MONKEY LINK ready
Easily connects accessories with your bike.



Abbildung ähnlich



ONLINE ORDER




Kiwi green, black
744-08641



dark chrome red matt, black
744-08741



rainbow petrol, black matt
744-09141



black matt, black, pearl gold
744-08441

**PowerTube
625 Wh ready***



**VIDEO
ON MEMBERS
AVAILABLE**



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Gänge	Gear	10-speed
Ladegerät	Charger	2A	Kurbelgarnitur	Crankset	FSA
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Kassette	Cassette	Shimano CS-M4100-R, 11-46T
Display	Display	Bosch Purion	Bremsen	Brakes	HD-M275 hydraulic disc, 180/180 mm
Rahmen	Frame	aluminium 6061	Lenker	Handlebar	BULLS aluminium
Rahmenhöhe	Framesize	♂ 41 cm / 44 cm / 48 cm / 54 cm, ♀ & Wave 41 cm / 44 cm / 48 cm / 54 cm	Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Gabel	Fork	SR Suntour XCR-32 Boost DS LOR AIR, 120 mm	Sattelstütze	Seatpost	STYX
Schaltwerk	Gearshift	Shimano Deore RD-M5120-SGS, Shadow Plus	Sattel	Saddle	BULLS
			Naben	Hubs	BULLS, rear boost
			Felgen	Rims	BULLS Eccentric 30, tubeless ready
			Bereifung	Tires	Veetire Crown Gem, 66-584, 27,5 x 2.60
			Pedale	Pedal	BULLS

COPPERHEAD EVO 2 29

Kiwi green, black
744-28644

400 Wh | 500 Wh | 625 Wh



HERREN



MOUNTAIN HARDTAIL | BOSCH



MONKEY LINK ready
Easily connects accessories with your bike.



Abbildung ähnlich



black matt, black, pearl gold
744-28544



dark chrome red matt, black
744-28744



rainbow petrol, black
744-28844

**PowerTube
625 Wh ready***



**VIDEO
ON MEMBERS
AVAILABLE**



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kurbelgarnitur	Crankset	FSA
Ladegerät	Charger	2A	Kassette	Cassette	Shimano CS-M4100, 11-46T
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Bremsen	Brakes	HD-M275 hydraulic disc, 180/180 mm
Display	Display	Bosch Purion	Lenker	Handlebar	BULLS aluminium
Rahmen	Frame	aluminium 6061	Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Rahmenhöhe	Framesize	44 cm / 48 cm / 54 cm / 60 cm	Sattelstütze	Seatpost	STYX
Gabel	Fork	SR Suntour XCR-32 DS LOR AIR, 120 mm	Sattel	Saddle	BULLS
Schaltwerk	Gearshift	Shimano Deore RD-M5120-SGS, Shadow Plus	Naben	Hubs	BULLS, boost
Gänge	Gear	10-speed	Felgen	Rims	BULLS Eccentric 30, tubeless ready
			Bereifung	Tires	Veetire Crown Gem, 58-622, 29 x 2.3
			Pedale	Pedal	BULLS

COPPERHEAD EVO 2

SPECIAL EDITION



COPPERHEAD EVO 3 27,5

black matt, hyper red, black
744-12141

400 Wh / 500 Wh / 625 Wh



HERREN



WAVE



MOUNTAIN HARDTAIL | BOSCH

MONKEY LINK ready
Easily connects accessories with your bike.



black matt, black, chrome
744-11841



emerald green matt, black
744-11741



**PowerTube
625 Wh ready***

Antrieb	Drivetrain	Bosch Performance Line CX GEN4
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.
Display	Display	Bosch Purion
Rahmen	Frame	aluminium 6061
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm
Gabel	Fork	BULLS Lytro 34 BLACK LOR Air CTS Boost, 120 mm
Schaltwerk	Gearshift	SRAM SX Eagle RD-SX-1-A1
Gänge	Gear	12-speed
Kurbelgarnitur	Crankset	FSA

Kassette	Cassette	Sram SX CS-PG1210-A1, 11-50T
Bremsen	Brakes	Shimano BR-MT420/410 hydraulic disc, 180/180 mm
Lenker	Handlebar	BULLS
Vorbau	Stem	MTB-i, CCS with internal cable routing
Sattelstütze	Seatpost	BULLS
Sattel	Saddle	Selle Royal Vivo
Naben	Hubs	Shimano HB-MT400-B/ FH-MT200-B
Felgen	Rims	BULLS Eccentric 30 tubeless ready
Bereifung	Tires	Schwalbe Nobby Nic Performance, 65-584, 27.5 x 2.60
Pedale	Pedal	Wellgo, ZZE-01M

COPPERHEAD EVO 3 29

MOUNTAIN HARDTAIL | BOSCH

black matt, hyper red, black
744-29744

400 Wh / 500 Wh / 625 Wh



HERREN




MONKEY
LINK ready

Easily connects accessories
with your bike.



0%



black matt, black, chrome
744-29844

emerald green matt, black matt
744-29944



PowerTube
625 Wh ready*

Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	SRAM SX CS-PG1210-A1, 11-50T
Ladegerät	Charger	2A	Bremsen	Brakes	Shimano BR-MT420/410 hydraulic disc, 180/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Lenker	Handlebar	BULLS
Display	Display	Bosch Purion	Vorbau	Stem	MTB-i, CCS with internal cable routing
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	BULLS
Rahmenhöhe	Framesize	44 cm / 48 cm / 54 cm / 60 cm	Sattel	Saddle	Selle Royal Vivo
Gabel	Fork	BULLS Lytro 34 BLACK LOR Air CTS Boost, 120 mm	Naben	Hubs	Shimano HB-MT400-B/ FH-MT200-B
Schaltwerk	Gearshift	SRAM SX Eagle RD-SX-1-A1	Felgen	Rims	BULLS Eccentric 30 tubeless ready
Gänge	Gear	12-speed	Bereifung	Tires	Schwalbe Nobby Nic Performance Folding, 65-622, 29 x 2.60
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Wellgo, ZZE-01M

BOSCH
Woman

AMINGA E1

grey matt, black, rouge red, grey
744-02537

WOMAN | BOSCH

400 Wh / 500 Wh

27,5



MONKEY LINK ready
Easily connects accessories with your bike.



metallic off-white, grey
matt, red matt
744-02637



Antrieb	Drivetrain	Bosch Performance Line GEN3	Kassette	Cassette	Shimano CS-HG200-9, 11-36T
Ladegerät	Charger	2A	Bremsen	Brakes	Tektro HD-M276 hydraulic disc, 180/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs.	Lenker	Handlebar	STYX
Display	Display	Bosch Purion	Vorbau	Stem	MTB-S, CCS Slot Mount ready
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	STYX
Rahmenhöhe	Framesize	37 cm / 41 cm / 44 cm / 48 cm	Sattel	Saddle	BULLS
Gabel	Fork	SR Suntour XCM DS HLO coil, 120 mm	Naben	Hubs	Formula DC-20FQR/ DC-22RQR
Schaltwerk	Gearshift	Shimano Alivio RD-M3100-SGS	Felgen	Rims	STYX DDM-2
Gänge	Gear	9-speed	Bereifung	Tires	Ace of Pace, 57-584, 27,5 x 2.25
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Wellgo, ZZE-01M

AMINGA E2

metallic dark blue matt, turquoise
744-03337

400 Wh / 500 Wh



WOMAN | BOSCH

MONKEY LINK ready
Easily connects accessories with your bike.



black chrome matt, black,
chrome petrol
744-03437



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Shimano CS-HG200-9, 11-36T
Ladegerät	Charger	2A	Bremsen	Brakes	Tektro HD-M276 hydraulic disc, 180/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs.	Lenker	Handlebar	STYX
Display	Display	Bosch Purion	Vorbau	Stem	MTB-S, CCS Slot Mount ready
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	STYX
Rahmenhöhe	Framesize	37 cm / 41 cm / 44 cm / 48 cm,	Sattel	Saddle	BULLS
Gabel	Fork	SR Suntour XCM DS HLO coil, 100 mm	Naben	Hubs	Formula DC-20FQR/ DC-2241QR
Schaltwerk	Gearshift	Shimano Alivio RD-M3100-SGS	Felgen	Rims	BULLS Eccentric 30 tubeless ready
Gänge	Gear	9-speed	Bereifung	Tires	Ace of Pace, 66-584, 27,5 x 2.25
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Wellgo, ZZE-01M

AMINGA EVA 1

black matt, rouge red, black
744-08137

WOMAN | BOSCH

400 Wh / 500 Wh / 625 Wh

27,5



MONKEY LINK ready
Easily connects accessories with your bike.



chrome petrol, orange, black
744-08237



**PowerTube
625 Wh ready***

Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Shimano CS-HG201-9, 11-36T
Ladegerät	Charger	2A	Bremsen	Brakes	Tektro HD-M276 hydraulic disc, 180/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Lenker	Handlebar	STYX
Display	Display	Bosch Purion	Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	STYX
Rahmenhöhe	Framesize	37 cm / 41 cm / 44 cm / 48 cm	Sattel	Saddle	BULLS
Gabel	Fork	SR Suntour XCM DS HLO, 120 mm	Naben	Hubs	Formula DC-20FQR/ DC-22RQR
Schaltwerk	Gearshift	Shimano Alivio RD-M3100-SGS	Felgen	Rims	STYX DDM-2
Gänge	Gear	9-speed	Bereifung	Tires	Supero Edge, 57-584, 27,5 x 2.25
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Wellgo, ZZE-01M

AMINGA EVA 2

grey matt, turquoise, black
744-09337

WOMAN | BOSCH

400 Wh / 500 Wh / 625 Wh



MONKEY LINK ready
Easily connects accessories with your bike.



metallic off-white,
rouge red, grey
744-09737



rouge red, black matt
744-09537



**PowerTube
625 Wh ready***

Antrieb	Drivetrain	Bosch Performance Line CX GEN4
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.
Display	Display	Bosch Purion
Rahmen	Frame	aluminium 6061
Rahmenhöhe	Framesize	37 cm / 41 cm / 44 cm / 48 cm,
Gabel	Fork	SR Suntour XCR-32 Boost LOR AIR CTS, 120 mm
Schaltwerk	Gearshift	Shimano Deore RD-M5120SGS Shadow Plus
Gänge	Gear	10-speed
Kurbelgarnitur	Crankset	FSA

Kassette	Cassette	Shimano Deore CS-M4100-10, 11-46T
Bremsen	Brakes	Tektro HD-M276 hydraulic disc, 180/180 mm
Lenker	Handlebar	STYX
Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Sattelstütze	Seatpost	STYX
Sattel	Saddle	BULLS
Naben	Hubs	Formula DC-511/ CL-2241QR Boost
Felgen	Rims	BULLS Eccentric 30 tubeless ready
Bereifung	Tires	Veetire Crown Gem, 66-584, 27,5 x 2.60
Pedale	Pedal	Wellgo, ZZE-01M


AMINGA EVA 2 RAINBOW

WOMAN | BOSCH

metallic off white, stealth grey
744-09637

400 Wh / 500 Wh / 625 Wh

27,5



MONKEY LINK ready
Easily connects accessories with your bike.



Abbildung ähnlich



metallic off white, stealth grey
744-10037



metallic off white, stealth grey
744-09837

Oil-Slick-Optik (Rainbow)

- Kette / Chain
- Naben / Hubs
- Lenker / Handlebar
- 2 Speichen pro Laufrad / 2 spokes per wheel



**PowerTube
625 Wh ready***

Antrieb	Drivetrain	Bosch Performance Line CX GEN4
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.
Display	Display	Bosch Purion
Rahmen	Frame	aluminium 6061
Rahmenhöhe	Framesize	37 cm / 41 cm / 44 cm / 48 cm,
Gabel	Fork	SR Suntour XCR-32 Boost LOR AIR CTS, 120 mm
Schaltwerk	Gearshift	Shimano Deore RD-M5120SGS Shadow Plus
Gänge	Gear	10-speed
Kurbelgarnitur	Crankset	FSA

Kassette	Cassette	Shimano Deore CS-M4100-10, 11-46T
Kette	Chain	KMC E10S Rainbow
Bremsen	Brakes	Tektro HD-M276 hydraulic disc, 180/180 mm
Lenker	Handlebar	BULLS Rainbow
Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Sattelstütze	Seatpost	STYX
Sattel	Saddle	BULLS
Naben	Hubs	BULLS Rainbow with 2 Rainbow spokes
Felgen	Rims	BULLS Eccentric 30 tubeless ready
Bereifung	Tires	Veetire Crown Gem, 66-584, 27,5 x 2.60
Pedale	Pedal	Wellgo, ZZE-01M

AMINGA EVA 3

vintage lavender matt, black
744-12737

400 Wh / 500 Wh / 625 Wh

WOMAN | BOSCH

27,5"



MONKEY LINK ready
Easily connects accessories with your bike.



black matt, metallic petrol, black
744-12537



PowerTube 625 Wh ready*

Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	SRAM SX CS-PG1210-A1, 11-50T
Ladegerät	Charger	2A	Bremsen	Brakes	Shimano BR-MT420/410 hydraulic disc, 180/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Lenker	Handlebar	BULLS
Display	Display	Bosch Purion	Vorbau	Stem	MTB-i, CCS with internal cable routing
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	BULLS
Rahmenhöhe	Framesize	37 cm / 41 cm / 44 cm / 48 cm	Sattel	Saddle	Selle Royal Vivo
Gabel	Fork	BULLS Lytro 34 LOR Air CTS Boost, 120 mm	Naben	Hubs	Shimano HB-MT400-B/ FH-MT200-B
Schaltwerk	Gearshift	SRAM SX Eagle RD-SX-1-A1	Felgen	Rims	BULLS Eccentric 30 tubeless ready
Gänge	Gear	12-speed	Bereifung	Tires	Nobby Nic Performance, 65-584, 27,5 x 2.60
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Wellgo, ZZE-01M

AMINGA EVA TR

black matt, hyper red, black
744-21341

WOMAN | BOSCH

400 Wh / 500 Wh / 625 Wh



DAMEN



MONKEY LINK ready
Easily connects accessories with your bike.



metallic off-white, metallic petrol matt, black matt
744-21441



vintage lavender matt, black
744-21541



**PowerTube
625 Wh ready***

Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kurbelgarnitur	Crankset	FSA
Ladegerät	Charger	2A	Kassette	Cassette	SHIMANO CS-M6100, 10-51T
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Bremsen	Brakes	Shimano BR-MT420/410 hydraulic disc, 203/180 mm
Display	Display	Bosch Purion	Lenker	Handlebar	BULLS
Rahmen	Frame	aluminium 6061	Vorbau	Stem	MTB-i, CCS with internal cable routing
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm	Sattelstütze	Seatpost	Limotec Alpha 1, dropper post
Gabel	Fork	BULLS Lytro 35 SL Supreme LOR Air CTS Boost, 120 mm	Sattel	Saddle	Selle Royal Vivo
Dämpfer	Shock	SR Suntour Unair LOR8	Naben	Hubs	Shimano HB-MT400-B/ FH-MT510-B
Schaltwerk	Gearshift	Shimano Deore XT RD-M8100-SGS	Felgen	Rims	BULLS Eccentric 30 tubeless ready
Gänge	Gear	12-speed	Bereifung	Tires	Nobby Nic Performance, 65-584, 27.5 x 2.60
			Pedale	Pedal	Wellgo, ZZE-01M

BOSCH
Strong

COPPERHEAD EVO 1 XXL 27,5

STRONG | BOSCH

grey matt, black, metallic lime
744-15341

400 Wh / 500 Wh / 625 Wh



HERREN



MONKEY
LINK ready

Easily connects accessories
with your bike.



PowerTube
625 Wh ready*

up to **150 kg**
permissible total weight



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Shimano Altus CS-HG200-9 11-36T
Ladegerät	Charger	2A	Bremsen	Brakes	Shimano BR-MT420/410 hydraulic disc, 203/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Lenker	Handlebar	Zecure
Display	Display	Bosch Purion	Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	Zecure
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm	Sattel	Saddle	Zecure
Gabel	Fork	BULLS Lytro 34 BLACK LOR Air CTS Boost, 120 mm	Naben	Hubs	Shimano HB-MT400-B/ FH-MT200-B
Schaltwerk	Gearshift	Shimano Alivio RD-M3100-SGS	Felgen	Rims	BULLS Eccentric 30 tubeless ready
Gänge	Gear	9-speed	Bereifung	Tires	Schwalbe Smart Sam K-Guard 65-584, 27.5 x 2.60
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Zecure MTB

COPPERHEAD EVO 1 XXL 29

grey matt, black, metallic lime
744-28944

400 Wh / 500 Wh / 625 Wh

STRONG | BOSCH



HERREN



MONKEY LINK ready
Easily connects accessories with your bike.



**PowerTube
625 Wh ready***

up to **150 kg**
permissible total weight



BOSCH
PERFORMANCE LINE



Antrieb	Drivetrain	Bosch Performance Line CX GEN4
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.
Display	Display	Bosch Purion
Rahmen	Frame	aluminium 6061
Rahmenhöhe	Framesize	44 cm / 48 cm / 54 cm / 60 cm
Gabel	Fork	BULLS Lytro 34 BLACK LOR Air CTS Boost, 100 mm
Schaltwerk	Gearshift	Shimano Alivio RD-M3100-SGS Shadow
Gänge	Gear	10-speed
Kurbelgarnitur	Crankset	FSA

Kassette	Cassette	Shimano CS-HG200-9, 11-36T
Bremsen	Brakes	Shimano BR-MT420/410 hydraulic disc, 203/180 mm
Lenker	Handlebar	Zecure
Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Sattelstütze	Seatpost	Zecure
Sattel	Saddle	Zecure
Naben	Hubs	Shimano HB-MT400-B/ FH-MT200-B
Felgen	Rims	BULLS Eccentric 30
Bereifung	Tires	Schwalbe Smart Sam K-Guard 65-622, 29 x 2.60
Pedale	Pedal	Zecure MTB

COPPERHEAD EVO 2 XXL 27,5

STRONG | BOSCH

chrome black matt, black, orange
744-16541

400 Wh / 500 Wh / 625 Wh



HERREN



WAVE



MONKEY
LINK ready

Easily connects accessories
with your bike.



chrome black matt,
black, orange
744-16941

PowerTube
625 Wh ready*

up to **150 kg**
permissible total weight



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Shimano Deore CS-M4100-10 11-46T
Ladegerät	Charger	2A	Bremsen	Brakes	Shimano BR-MT420/410 hydraulic disc, 203/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Lenker	Handlebar	Zecure
Display	Display	Bosch Purion	Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	Zecure
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm,	Sattel	Saddle	Zecure
Gabel	Fork	BULLS Lytro 34 BLACK LOR Air CTS Boost, 120 mm	Naben	Hubs	Shimano HB-MT400-B/ FH-MT200-B
Schaltwerk	Gearshift	Shimano Deore RD-M5120SGS Shadow Plus	Felgen	Rims	BULLS Eccentric 30 tubeless ready
Gänge	Gear	10-speed	Bereifung	Tires	Schwalbe Smart Sam K-Guard, 65-584, 27,5 x 2.60
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Zecure MTB

COPPERHEAD EVO 2 XXL 29

chrome black matt, black, orange
744-31344

STRONG | BOSCH

400 Wh / 500 Wh / 625 Wh



HERREN



MONKEY LINK ready
Easily connects accessories with your bike.



PowerTube
625 Wh ready*

up to **150 kg**
permissible total weight



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Shimano Deore CS-M4100-10, 11-46T
Ladegerät	Charger	2A	Bremsen	Brakes	Shimano BR-MT420/410 hydraulic disc, 203/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Lenker	Handlebar	Zecure
Display	Display	Bosch Purion	Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	Zecure
Rahmenhöhe	Framesize	44 cm / 48 cm / 54 cm / 60 cm	Sattel	Saddle	Zecure
Gabel	Fork	BULLS Lytro 34 BLACK LOR Air CTS Boost, 120 mm	Naben	Hubs	Shimano HB-MT400-B/ FH-MT200-B
Schaltwerk	Gearshift	Shimano Deore RD-M5120SGS Shadow Plus	Felgen	Rims	BULLS Eccentric 30 tubeless ready
Gänge	Gear	10-speed	Bereifung	Tires	Smart Sam K-Guard, 65-622, 29 x 2.60
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Zecure MTB

COPPERHEAD EVO 3 XXL 27,5

STRONG | BOSCH

black matt, black
744-18141

400 Wh / 500 Wh / 625 Wh

27,5

HERREN



WAVE



MONKEY
LINK ready

Easily connects accessories
with your bike.



black matt, black
744-18541

PowerTube
625 Wh ready*

up to **150 kg**
permissible total weight



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Shimano Altus CS-HG200-9, 11-36T
Ladegerät	Charger	2A	Bremsen	Brakes	Shimano BR-MT420/410 hydraulic disc, 203/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Lenker	Handlebar	Zecure
Display	Display	Bosch Purion	Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	Zecure
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm,	Sattel	Saddle	Zecure
Gabel	Fork	BULLS Lytro 34 BLACK LOR Air CTS Boost, 100 mm	Naben	Hubs	Shimano HB-MT400-B/ HB-MT400-B
Schaltwerk	Gearshift	SRAM SX Eagle RD-SX-1-A1	Felgen	Rims	BULLS Eccentric 30
Gänge	Gear	12-speed	Bereifung	Tires	Smart Sam K-Guard, 65-584, 27,5 x 2.60
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Zecure MTB

COPPERHEAD EVO 3 XXL 29

black matt, black
744-32144

STRONG | BOSCH

400 Wh / 500 Wh / 625 Wh



HERREN



MONKEY LINK ready
Easily connects accessories with your bike.



**PowerTube
625 Wh ready***

up to **150 kg**
permissible total weight



Antrieb	Drivetrain	Bosch Performance Line CX GEN4
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.
Display	Display	Bosch Purion
Rahmen	Frame	aluminium 6061
Rahmenhöhe	Framesize	44 cm / 48 cm / 54 cm / 60 cm
Gabel	Fork	BULLS Lytro 34 BLACK LOR Air CTS Boost, 100 mm
Schaltwerk	Gearshift	Shimano XT RD-M8100-SGS, Shadow Plus
Gänge	Gear	12-speed
Kurbelgarnitur	Crankset	FSA

Kassette	Cassette	Shimano Deore CS-M6100, 10-51T
Bremsen	Brakes	Shimano BR-MT420/410 hydraulic disc, 203/180 mm
Lenker	Handlebar	Zecure
Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Sattelstütze	Seatpost	Zecure
Sattel	Saddle	Zecure
Naben	Hubs	Shimano HB-MT400-B/ FH-MT201-B
Felgen	Rims	BULLS Eccentric 30 tubeless ready
Bereifung	Tires	Smart Sam K-Guard, 65-622, 29 x 2.60
Pedale	Pedal	Zecure MTB

COPPERHEAD EVO 2 XXL STREET

STRONG | BOSCH

black matt, grey matt, metallic lime
744-17341

400 Wh / 500 Wh / 625 Wh

27,5

HERREN



WAVE



Abbildung ähnlich



white, grey matt, black,
metallic lime
744-17841

PowerTube
625 Wh ready*



VIDEO
ON MEMBERS
AVAILABLE



up to **150 kg**
permissible total weight

Antrieb	Drivetrain	Bosch Performance Line CX GEN4
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.
Display	Display	Bosch Purion
Rahmen	Frame	aluminium 6061
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm,
Gabel	Fork	BULLS Lytro 34 LOR Air CTS Boost, 120 mm
Schaltwerk	Gearshift	Shimano Deore RD-M5120SGS, Shadow Plus
Gänge	Gear	10-speed
Kurbelgarnitur	Crankset	Samox
Kassette	Cassette	Shimano Deore CS-M4100-10 11-42T
Bremsen	Brakes	Shimano BR-MT420/410 hydraulic disc, 203/180 mm

Lenker	Handlebar	Zecure
Vorbau	Stem	aluminium slot stem
Sattelstütze	Seatpost	Limotec Alpha 1Z dropper post
Sattel	Saddle	Zecure
Naben	Hubs	Shimano HB-MT400-B/ FH-MT200-B
Felgen	Rims	BULLS Eccentric 30 tubeless ready
Bereifung	Tires	Schwalbe Smart Sam Performance 65-584, 27,5 x 2.60
Pedale	Pedal	Zecure MTB
Scheinwerfer	Headlight	Fuxon FFS-70 EB, 30 Lux with day light and sensor
Rücklicht	Taillight	Fuxon RL-Mini-EB

BOSCH

Mountain Street

COPPERHEAD E2 STREET

MOUNTAIN STREET | BOSCH

black matt, black, chrome petrol, chrome
744-04541

400 Wh / 500 Wh

27,5

HERREN



WAVE



Abbildung ähnlich



black matt, black,
chrome petrol, chrome
744-04941



BOSCH
PERFORMANCE LINE



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Bremsen	Brakes	Tektro HD-M275 hydraulic disc, 180/180 mm
Ladegerät	Charger	2A	Lenker	Handlebar	STYX
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs.	Vorbau	Stem	MTB-S, CCS Slot Mount ready
Display	Display	Bosch Purion	Sattelstütze	Seatpost	STYX, 10 mm Offset
Rahmen	Frame	aluminium 6061	Sattel	Saddle	BULLS
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm,	Naben	Hubs	Formula DC-20FQR/ DC-22RQR
Gabel	Fork	SR Suntour XCM ATB DS HLO, 100 mm	Felgen	Rims	STYX DDM-2
Schaltwerk	Gearshift	Shimano Deore RD-M592SGS	Bereifung	Tires	Ace of Pace, 57-584, 27.5 x 2.25
Gänge	Gear	9-speed	Radschützer	fenders	SKS Velo 65
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Wellgo C-098DU black body
Kassette	Cassette	Shimano CS-HG200-9, 11-36T	Scheinwerfer	Headlight	Fuxon FS-50 EB, 50 Lux
			Rücklicht	Taillight	Fuxon Mini-RL

COPPERHEAD EVO 1 STREET 27,5

MOUNTAIN STREET | BOSCH

chrome black matt, black, chrome red
744-10541

400 Wh 500 Wh 625 Wh



HERREN



WAVE



PowerTube
625 Wh ready*

Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Bremsen	Brakes	Tektro HD-M275 hydraulic disc, 180/180 mm
Ladegerät	Charger	2A	Lenker	Handlebar	STYX
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Vorbau	Stem	aluminium
Display	Display	Bosch Purion	Sattelstütze	Seatpost	Limotec Alpha AIZ, dropper post
Rahmen	Frame	aluminium 6061	Sattel	Saddle	BULLS
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm,	Naben	Hubs	Formula DC-20FQR/ Formula DC-22RQR
Gabel	Fork	SR Suntour XCM ATB DS HLO, 100 mm	Felgen	Rims	STYX DDM-2
Schaltwerk	Gearshift	Shimano Alivio RD-M3100-SGS	Bereifung	Tires	Ace of Pace, 57-584, 27,5 x 2.25
Gänge	Gear	9-speed	Radschützer	fenders	SKS Velo 65
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Wellgo C-098DU black body
Kassette	Cassette	Shimano Altus CS-HG200-9, 11-36T	Scheinwerfer	Headlight	Fuxon FS-50 EB, 50 Lux
			Rücklicht	Taillight	Fuxon Mini-RL

COPPERHEAD EVO 1 STREET 29

MOUNTAIN STREET | BOSCH

chrome black matt, black, chrome red
744-28144

400 Wh / 500 Wh / 625 Wh



HERREN



**PowerTube
625 Wh ready***

Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Bremsen	Brakes	Tektro HD-M275 hydraulic disc, 180/180 mm
Ladegerät	Charger	2A	Lenker	Handlebar	STYX
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Display	Display	Bosch Purion	Sattelstütze	Seatpost	Limotec A3Z dropper + suspension post
Rahmen	Frame	aluminium 6061	Sattel	Saddle	STYX
Rahmenhöhe	Framesize	44 cm / 48 cm / 54 cm / 60 cm	Naben	Hubs	Formula DC-20FQR/ DC-22RQR
Gabel	Fork	SR Suntour XCM ATB DS HLO, 100 mm	Felgen	Rims	STYX DDM-2
Schaltwerk	Gearshift	Shimano Alivio RD-M3100-SGS	Bereifung	Tires	Ace of Pace, 57-622, 29 x 2.25
Gänge	Gear	9-speed	Pedale	Pedal	Wellgo C-098DU black body
Kurbelgarnitur	Crankset	Samox	Scheinwerfer	Headlight	FS-50 EB, 50 Lux
Kassette	Cassette	Shimano Altus CS-HG200-9 11-36T	Rücklicht	Taillight	Fuxon Mini-RL

COPPERHEAD EVO 2 STREET

MOUNTAIN STREET | BOSCH

balck matt, grey matt, black, metallic lime
744-10941

400 Wh / 500 Wh / 625 Wh



HERREN



WAVE



white, grey matt, black,
metallic lime
744-11441

black matt, black, white
744-11341



PowerTube
625 Wh ready*

Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Bremsen	Brakes	Tektro HD-M275 hydraulic disc, 180/180 mm
Ladegerät	Charger	2A	Lenker	Handlebar	STYX
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625Wh: appx. 8,8 hrs.	Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Display	Display	Bosch Purion	Sattelstütze	Seatpost	Limotec Alpha A3Z, dropper + suspension post
Rahmen	Frame	aluminium 6061	Sattel	Saddle	STYX
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm,	Naben	Hubs	Formula DC-20FQR/ DC-22RQR
Gabel	Fork	SR Suntour XCR-32 LOR Air DS, 100 mm	Felgen	Rims	STYX DDM-2
Schaltwerk	Gearshift	Shimano Deore RD-M5120SGS Shadow Plus	Bereifung	Tires	Ace of Pace, 57-584, 27,5 x 2.25
Gänge	Gear	10-speed	Radschützer	fenders	SKS Velo 65
Kurbelgarnitur	Crankset	FSA	Pedale	Pedal	Wellgo C-098DU black body
Kassette	Cassette	Shimano Deore CS-M4100-10, 11-42T	Scheinwerfer	Headlight	Fuxon FS-70 EB, 70 Lux with day light and sensor
			Rücklicht	Taillight	Fuxon Mini-RL

COPPERHEAD EVO 3 STREET

MOUNTAIN STREET | BOSCH

red, black matt
724-13841

400 Wh / 500 Wh / 625 Wh

27,5



MONKEY LINK ready
Easily connects accessories with your bike.



red, black matt
724-14141



PowerTube
625 Wh ready*

Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Lenker	Handlebar	BULLS
Ladegerät	Charger	2A	Vorbau	Stem	SUV-i, CCS with internal cable routing and adjustable
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Sattelstütze	Seatpost	Limotec Alpha A3Z, dropper + suspension post
Display	Display	Bosch Purion	Sattel	Saddle	Selle Royal Vivo
Rahmen	Frame	aluminium 6061	Naben	Hubs	Formula CL-811/ CL2241QR
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm	Felgen	Rims	BULLS Eccentric 30 tubeless ready
Gabel	Fork	BULLS Lytro 34 BLACK LOR Air CTS Boost, 120 mm	Bereifung	Tires	Smart Sam Performance, 60-584, 27,5 x 2.35
Schaltwerk	Gearshift	SRAM SX Eagle RD-SX-1-A1	Radschützer	fenders	SKS Velo 65
Gänge	Gear	12-speed	Pedale	Pedal	Wellgo C-098DU black body
Kurbelgarnitur	Crankset	FSA	Scheinwerfer	Headlight	Fuxon DHL-F170, 70 Lux
Kassette	Cassette	SRAM SX CS-PG1210-A1, 11-50T	Rücklicht	Taillight	Fuxon RL-Mini-EB
Bremsen	Brakes	Shimano BR-MT420/410 hydraulic disc, 180/180 mm	Gepäckträger	Carrier	i-RACK II system carrier

BOSCH

SUV

ADVENTURE EVO AM

silver, black matt, grey matt, teal metallic fading
724-21641

SUV | BOSCH

900 Wh / 1000 Wh / 1125 Wh

27,5

HERREN



MONKEY LINK ready
Easily connects accessories with your bike.




Antrieb	Drivetrain	Bosch Performance Line GEN3	Kassette	Cassette	Shimano SLX CS-M7100 10-51T
Ladegerät	Charger	2A	Bremsen	Brakes	Magura MT5 hydraulic disc, 203/203 mm
Ladedauer	Charging time	PowerTube: 400 Wh & PowerPack: 500 Wh: appx. 7 hrs.	Lenker	Handlebar	Zecure
Display	Display	Bosch KIOX	Vorbau	Stem	AS-MTBI, internal cable routing
Rahmen	Frame	aluminium	Sattelstütze	Seatpost	Limotec DP01 dropper post
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm	Sattel	Saddle	Selle Royal Vivo
Gabel	Fork	Fox 36 Float Rhythm 150 mm	Naben	Hubs	Shimano
Dämpfer	Shock	Fox Float DPS Performance 150 mm	Felgen	Rims	BULLS Eccentric 35, tubeless ready
Schaltwerk	Gearshift	Shimano Deore XT RD-M8120-SGS with SLX shifter	Bereifung	Tires	Schwalbe Magic Mary Evo SnakeSkin TLE / Hans Dampf Evo SnakeSkin TLE 70-584, 27,5 x 2.80
Gänge	Gear	12-speed	Radschützer	Fender	aluminium
Kurbelgarnitur	Crankset	FSA	Pedale	Pedals	BULLS MTB

ICONIC E1 27,5

black matt
725-05141

SUV | BOSCH

400 Wh / 500 Wh



black matt
725-04541



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Bremsen	Brakes	Shimano BR-MT200 hydraulic disc, 180/180 mm
Ladegerät	Charger	2A	Lenker	Handlebar	STYX aluminium
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs.	Vorbau	Stem	adjustable, aluminium
Display	Display	Purion	Sattelstütze	Seatpost	Limotec DP-01, dropper post
Rahmen	Frame	aluminium, tapered head tube, internal cable routing	Sattel	Saddle	Selle Royal E-Zone
Rahmenhöhe	Framesize	♂ 41 cm / 44 cm / 48 cm / 54 cm / 60 cm, W 41 cm / 44 cm / 48 cm / 54 cm	Naben	Hubs	BULLS
Gabel	Fork	SR Suntour CXM-ATB DS HLO, 100 mm	Felgen	Rims	BULLS Eccentric 30, tubeless ready
Schaltwerk	Gearshift	Shimano Deore RD-M6000GS	Bereifung	Tires	Supero All Ground 62-584 27.5 x 2.40
Gänge	Gear	10-speed	Pedale	Pedals	Wellgo aluminium
Kurbelgarnitur	Crankset	FSA	Scheinwerfer	Headlight	Fuxon DHL-F130K-EB, 30 Lux
Kassette	Cassette	Shimano CS-HG500, 11-42T	Rücklicht	Taillight	Supernova E3
			Gepäckträger	Rack	i-RACK II system carrier

ICONIC EVO 1 27,5

emerald green matt, black
744-12941

SUV | BOSCH

400 Wh / 500 Wh / 625 Wh

27,5

HERREN

WAVE



Abbildung ähnlich



emerald green matt,
black, stone grey
744-13341



PowerTube
625 Wh ready*

Antrieb	Drivetrain	Bosch Performance Line GEN3
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.
Display	Display	Bosch Purion
Rahmen	Frame	aluminium 6061
Rahmenhöhe	Framesize	♂ 41 cm / 44 cm / 48 cm / 54 cm / 60 cm, Wave 41 cm / 44 cm / 48 cm / 54 cm
Gabel	Fork	SR Suntour XCM DS HLO, 100 mm
Schaltwerk	Gearshift	Shimano Deore RD-M5120SCS Shadow Plus
Gänge	Gear	10-speed
Kurbelgarnitur	Crankset	Samox/FSA
Kassette	Cassette	Shimano Deore CS-M4100-10, 11-42T

Bremsen	Brakes	Shimano BR-MT200 hydraulic disc, 180/180 mm
Lenker	Handlebar	STYX
Vorbau	Stem	aluminium adjustable
Sattelstütze	Seatpost	STYX
Sattel	Saddle	BULLS Iconic
Naben	Hubs	Formula CL-25QR/ Shimano FH-MT200-B
Felgen	Rims	BULLS Eccentric 30 tubeless ready
Bereifung	Tires	Supero All Ground, 62-584, 27,5 x 2.40
Radschützer	fenders	aluminium
Pedale	Pedals	Wellgo C-098DU black body
Scheinwerfer	Headlight	Fuxon FS-50 EB, 50 Lux
Rücklicht	Taillight	Supernova E3
Gepäckträger	Carrier	i-RACK II system carrier

ICONIC EVO 1 29


emerald green matt, black, stone grey
744-30144

SUV | BOSCH

400 Wh / 500 Wh / 625 Wh



HERREN



Antrieb	Drivetrain	Bosch Performance Line GEN3	Lenker	Handlebar	STYX
Ladegerät	Charger	2A	Vorbau	Stem	aluminium adjustable
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Sattelstütze	Seatpost	Limotec Alpha 3, A3-Z suspension dropper post
Display	Display	Bosch Purion	Sattel	Saddle	BULLS Iconic
Rahmen	Frame	aluminium 6061	Naben	Hubs	Formula CL-25QR/ Shimano FH-MT200-B
Rahmenhöhe	Framesize	44 cm / 48 cm / 54 cm / 60 cm	Felgen	Rims	BULLS Eccentric 30
Gabel	Fork	SR Suntour XCM ATB DS HLO, 100 mm	Bereifung	Tires	Supero All Ground 62-622, 29 x 2.40
Schaltwerk	Gearshift	Shimano Deore RD-M5120SGS Shadow Plus	Radschützer	fender	aluminium
Gänge	Gear	10-speed	Pedale	Pedals	Wellgo C-098DU black body
Kurbelgarnitur	Crankset	Samox/FSA	Scheinwerfer	Headlight	Fuxon FS-50 EB, 50 Lux
Kassette	Cassette	Shimano Deore CS-M4100-10, 11-42T	Rücklicht	Taillight	Supernova E3
Bremsen	Brakes	Shimano BR-MT200 hydraulic disc, 180/180 mm	Gepäckträger	Carrier	i-RACK II system carrier with MonkeyLoad

ICONIC EVO 2 27,5

steel blue grey matt, black, pearl gold
744-13741

SUV | BOSCH

400 Wh 500 Wh 625 Wh




Abbildung ähnlich



steel blue grey matt, black,
pearl gold
744-14141



Antrieb	Drivetrain	Bosch Performance Line CX GEN4
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.
Display	Display	Bosch Purion
Rahmen	Frame	aluminium 6061
Rahmenhöhe	Framesize	♂ 41 cm / 44 cm / 48 cm / 54 cm / 60 cm, Wave 41 cm / 44 cm / 48 cm / 54 cm
Gabel	Fork	SR Suntour XCM DS HLO, 100 mm
Schaltwerk	Gearshift	Shimano Deore RD-M5100-SGS Shadow Plus
Gänge	Gear	11-speed
Kurbelgarnitur	Crankset	Samox
Kassette	Cassette	Shimano Deore CS-M5100-11, 11-51T

Bremsen	Brakes	Shimano Altus BR-MT200 hydraulic disc, 180/180 mm Center Lock
Lenker	Handlebar	STYX
Vorbau	Stem	aluminium slot stem
Sattelstütze	Seatpost	Limotec Alpha A3Z dropper + suspension post
Sattel	Saddle	BULLS
Naben	Hubs	Formula CL-25QR/ Shimano FH-MT200-B
Felgen	Rims	BULLS Eccentric 30 tubeless ready
Bereifung	Tires	Supero All Ground 62-584, 27,5 x 2.40
Radschützer	fender	aluminium
Pedale	Pedals	Wellgo C-098DU black body
Scheinwerfer	Headlight	Fuxon FS-50 EB, 50 Lux
Rücklicht	Taillight	Supernova E3
Gepäckträger	Carrier	i-RACK II system carrier with MonkeyLoad

ICONIC EVO TR 1

chrome black matt, black, copper
744-21741

SUV | BOSCH

400 Wh / 500 Wh / 625 Wh

27,5

HERREN



PowerTube
625 Wh ready*

Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Bremsen	Brakes	Shimano BR-MT420/410 hydraulic disc, 203/180 mm
Ladegerät	Charger	2A	Lenker	Handlebar	BULLS
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Vorbau	Stem	SUV-i, slot stem
Display	Display	Bosch Kiox	Sattelstütze	Seatpost	Limotec Alpha AIZ, dropper post
Rahmen	Frame	aluminium 6061	Sattel	Saddle	BULLS
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm	Naben	Hubs	Shimano HB-MT400-B/ FH-MT400-B
Gabel	Fork	BULLS Lytro 34 BLACK LOR Air CTS Boost, 120 mm	Felgen	Rims	BULLS Eccentric 30 tubeless ready
Dämpfer	Shock	SR Suntour Unair LOR8	Bereifung	Tires	Supero All Ground, 62-584, 27.5 x 2.40
Schaltwerk	Gearshift	Shimano Deore RD-M5120-SGS Shadow Plus	Radschützer	Fender	aluminium
Gänge	Gear	10-speed	Pedale	Pedals	Wellgo C-098DU black body
Kurbelgarnitur	Crankset	FSA	Scheinwerfer	Headlight	Fuxon FS-70, 70 Lux with daylight and sensor
Kassette	Cassette	Shimano Deore CS-M4100-10, 11-46T	Rücklicht	Taillight	Supernova E3

ICONIC EVO TR 2

silver, black matt, teal metallic
744-22541

SUV | BOSCH

400 Wh / 500 Wh / 625 Wh

27,5

HERREN



PowerTube
625 Wh ready*



VIDEO
ON MEMBERS
AVAILABLE

Antrieb	Drivetrain	Bosch Performance Line CX GEN4
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.
Display	Display	Bosch Kiox
Rahmen	Frame	aluminium
Rahmenhöhe	Framesize	41 cm / 44 cm / 48 cm / 54 cm
Gabel	Fork	BULLS Lytro 34 BLACK LOR Air CTS Boost, 120 mm
Dämpfer	Shock	SR Suntour Unair LOR8
Schaltwerk	Gearshift	Shimano Deore XT RD-M8100-12-SGS Shadow Plus
Gänge	Gear	12-speed
Kurbelgarnitur	Crankset	FSA
Kassette	Cassette	Shimano Deore CS-M6100-12, 10-51T

Bremsen	Brakes	Shimano BR-MT420/410 hydraulic disc, 203/180 mm
Lenker	Handlebar	BULLS
Vorbau	Stem	SUV-i, adjustable, integrated cable routing
Sattelstütze	Seatpost	Limotec Alpha AIZ dropper post
Sattel	Saddle	BULLS
Naben	Hubs	Shimano HB-MT410-B/ FH-MT500-B
Felgen	Rims	BULLS Eccentric 30 tubeless ready
Bereifung	Tires	Supero All Ground, 62-584, 27,5 x 2.40
Radschützer	Fender	aluminium
Pedale	Pedals	Wellgo C-098DU black body
Scheinwerfer	Headlight	Fuxon FF-100 EB, with day light and sensor
Rücklicht	Taillight	Supernova E3
Gepäckträger	Carrier	i-RACK II system carrier

BOSCH
City/Trekking

CROSS STREET E1

CITY/TREKKING | BOSCH

grey matt, black matt, orange matt
744-35045

400 Wh / 500 Wh



HERREN TRAPEZ



Abbildung ähnlich



grey matt, black matt,
orange matt
744-35445

black, white, green
744-34945



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Bremsen	Brakes	Tektro HD-T275 hydraulic disc, 180/180 mm
Ladegerät	Charger	2A	Lenker	Handlebar	STYX
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs.	Vorbau	Stem	MTB-S, CCS Slot Mount ready
Display	Display	Bosch Intuvia	Sattelstütze	Seatpost	STYX
Rahmen	Frame	aluminium 6061	Sattel	Saddle	BULLS
Rahmenhöhe	Framesize	♂ 45 cm / 50 cm / 55 cm / 60 cm; ♀ 45 cm / 50 cm / 55 cm	Naben	Hubs	Formula DC-20FQR/ DC-22RQR
Gabel	Fork	SR Suntour NEX-E25 DS, 63 mm	Felgen	Rims	STYX DDM-2
Schaltwerk	Gearshift	Shimano Deore RD-M592-SGS	Bereifung	Tires	Supero Ranger, 47-622, 28 x 1.75
Gänge	Gear	9-speed	Pedale	Pedals	Wellgo C-098DU black body
Kurbelgarnitur	Crankset	FSA	Scheinwerfer	Headlight	Fuxon FS-50 EB, 50 Lux
Kassette	Cassette	Shimano CS-HG200-9, 11-36T	Rücklicht	Taillight	Fuxon R-232 EB
			Gepäckträger	Carrier	i-RACK II system carrier

CROSS EVO

light grey, rainbow petrol, black
744-35745

400 Wh 500 Wh 625 Wh

CITY/TREKKING | BOSCH



HERREN TRAPEZ



vintage lavender matt,
dark berry, black
744-35945



PowerTube
625 Wh ready*

Antrieb	Drivetrain	Bosch Performance Line GEN3
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.
Display	Display	Bosch Purion
Rahmen	Frame	aluminium 6061
Rahmenhöhe	Framesize	♂ 45 cm / 50 cm / 55 cm / 60 cm; ♀ 45 cm / 50 cm / 55 cm
Gabel	Fork	SR Suntour NEX-E25 DS HLO, 63 mm
Schaltwerk	Gearshift	Shimano Acera RD-M3100-SGS Shadow Plus
Gänge	Gear	9-speed
Kurbelgarnitur	Crankset	Samox/FSA

Kassette	Cassette	Shimano Altus CS-HG201-9 11-36T
Bremsen	Brakes	Tektro HD-T275 hydraulic disc 180/160 mm 6-Bolt
Lenker	Handlebar	STYX
Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Sattelstütze	Seatpost	STYX
Sattel	Saddle	BULLS
Naben	Hubs	Formula DC-20FQR/ DC-22RQR
Felgen	Rims	STYX DDM-2
Bereifung	Tires	Supero Ranger, 47-622, 2,8 x 1,75
Pedale	Pedals	Wellgo C-098DU black body
Scheinwerfer	Headlight	Fuxon F-16 EB
Rücklicht	Taillight	Fuxon RL-Mini-EB

LANDSCAPE EVO

CITY/TREKKING | BOSCH

concours blue, black matt, premium red
744-33345

400 Wh / 500 Wh / 625 Wh



hyper red, black
744-33645



concours blue, black matt,
premium red
744-33745



PowerTube
625 Wh ready*

Antrieb	Drivetrain	Bosch Performance Line GEN3
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.
Display	Display	Bosch Purion
Rahmen	Frame	aluminium 6061
Rahmenhöhe	Framesize	♂ 45 cm / 50 cm / 55 cm / 60 cm, ♀ + Wave 45 cm / 50 cm / 55 cm
Gabel	Fork	SR Suntour XCM ATB DS HLO, 100 mm
Schaltwerk	Gearshift	Shimano Alivio RD-M3100
Gänge	Gear	9-speed
Kurbelgarnitur	Crankset	FSA
Kassette	Cassette	Shimano CS-HG200-9, 11-36T
Bremsen	Brakes	Shimano BR-MT200 hydraulic disc, 180/180 mm


Lenker	Handlebar	STYX
Vorbau	Stem	aluminium adjustable
Sattelstütze	Seatpost	STYX, 10 mm Offset
Sattel	Saddle	Comodoro
Naben	Hubs	Formula DC-20FQR/ DC-22RQR
Felgen	Rims	STYX DDM-2
Bereifung	Tires	Schwalbe Smart Sam Performance with reflex 57-622, 29 x 2.25
Radschützer	Fenders	aluminium
Pedale	Pedal	Wellgo C-098DU black body
Scheinwerfer	Headlight	Fuxon FS-50 EB, 50 Lux
Rücklicht	Taillight	Fuxon R-232 EB, LED
Gepäckträger	Rack	i-RACK II system carrier with MonkeyLoad

CROSS FLYER EVO

CITY/TREKKING | BOSCH

grey matt, black matt, red matt
744-36145

400 Wh 500 Wh 625 Wh



grey matt, black matt,
red matt
744-36545



grey matt, black matt,
red matt
744-36945



PowerTube
625 Wh ready*

Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Shimano CS-HG200-9, 11-36T
Ladegerät	Charger	2A	Bremsen	Brakes	Tektro HD-T275 hydraulic disc, 180/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Lenker	Handlebar	STYX
Display	Display	Bosch Purion	Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Rahmen	Frame	aluminium 6061	Sattelstütze	Seatpost	STYX, 10 mm Offset
Rahmenhöhe	Framesize	♂ 45 cm / 50 cm / 55 cm / 60 cm ♀ & Wave 45 cm / 50 cm / 55 cm	Sattel	Saddle	BULLS
Gabel	Fork	SR Suntour NEX-E25 DS HLO, 63 mm	Naben	Hubs	Formula DC-20QR/ DC-22QR
Schaltwerk	Gearshift	Shimano Alivio RD-M3100-SGS	Felgen	Rims	STYX DDM-2
Gänge	Gear	9-speed	Bereifung	Tires	Schwalbe Smart Sam K-Guard, 47-622, 28 x 1.75
Kurbelgarnitur	Crankset	FSA	Pedale	Pedals	Wellgo C-098DU black body
			Scheinwerfer	Headlight	Fuxon FS-50 EB, 50 Lux
			Rücklicht	Taillight	Fuxon RL-Mini-EB

CROSS RIDER EVO 1

CITY/TREKKING | BOSCH

white, grey matt, black, metallic lime
744-37345

400 Wh / 500 Wh / 625 Wh



HERREN



TRAPEZ



black matt, grey matt,
black, metallic lime
744-37845



BOSCH
PERFORMANCE LINE



PowerTube
625 Wh ready*

Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Bremsen	Brakes	Shimano BR-MT200 hydraulic disc, 180/180 mm
Ladegerät	Charger	2A	Lenker	Handlebar	STYX
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Vorbau	Stem	MTB-SL, CCS Slot Mount ready
Display	Display	Bosch Intuvia	Sattelstütze	Seatpost	aluminium, 10 mm Offset
Rahmen	Frame	aluminium 6061	Sattel	Saddle	BULLS
Rahmenhöhe	Framesize	♂ 45 cm / 50 cm / 55 cm / 60 cm; ♀ 45 cm / 50 cm / 55 cm	Naben	Hubs	Shimano Alivio HB-M4050QR/ FH-M4050QR
Gabel	Fork	SR Suntour NCX-D LO Coil, 63 mm	Felgen	Rims	STYX DDM-2
Schaltwerk	Gearshift	Shimano Deore RD-M5120GS Shadow Plus	Bereifung	Tires	Schwalbe Smart Sam K-Guard, 47-622, 28 x 1.75
Gänge	Gear	10-speed	Pedale	Pedals	Wellgo C-098DU black body
Kurbelgarnitur	Crankset	FSA	Scheinwerfer	Headlight	Fuxon FS-70 EB, 70 Lux
Kassette	Cassette	Shimano Deore CS-M4100-10, 11-42T	Rücklicht	Taillight	Fuxon RL-Mini-EB Clip

CROSS RIDER EVO 2

CITY/TREKKING | BOSCH

dark chrome red matt, black, stealth grey
744-38945

400 Wh / 500 Wh / 625 Wh




Abbildung ähnlich



dark chrome red matt,
black, stealth grey
744-38145

steel blue matt, black,
stealth grey
744-38645



PowerTube
625 Wh ready*

Antrieb	Drivetrain	Bosch Performance Line CX GEN4
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 7,8 hrs.
Display	Display	Bosch Intuvia
Rahmen	Frame	aluminium 6061
Rahmenhöhe	Framesize	♂ 45 cm / 50 cm / 55 cm / 60 cm; ♀ & Wave 45 cm / 50 cm / 55 cm
Gabel	Fork	SR Suntour NCX-E LO Air CTS, 63 mm
Schaltwerk	Gearshift	SRAM SX Eagle
Gänge	Gear	12-speed
Kurbelgarnitur	Crankset	FSA
Kassette	Cassette	Sram SX 11-50T

Bremsen	Brakes	Shimano BR-MT200 hydraulic disc, 180/180 mm
Lenker	Handlebar	BULLS
Vorbau	Stem	SUV-i, CCS with internal cable routing and adjustable
Sattelstütze	Seatpost	aluminium, 10 mm Offset
Sattel	Saddle	Comodoro
Naben	Hubs	Shimano Deore HB-MT400/ FH-M6000QR
Felgen	Rims	BULLS DDM-2
Bereifung	Tires	Schwalbe Smart Sam K-Guard, 47-622, 28 x 1.75
Pedale	Pedals	Wellgo C-098DU black body
Scheinwerfer	Headlight	Fuxon FF-100EB, 100 Lux
Rücklicht	Taillight	Fuxon RL-Mini-EB Clip

CROSS LITE EVO

CITY/TREKKING | BOSCH

black matt, grey matt, black, chrome
724-33945

400 Wh / 500 Wh / 625 Wh



black matt, grey matt,
black, orange
724-34245

black matt, grey matt,
black, orange
724-34545



PowerTube
625 Wh ready*

Antrieb	Drivetrain	Bosch Performance Line CX GEN4
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.
Display	Display	Bosch KIOX
Rahmen	Frame	aluminium, tapered headtube, internal cable routing, telescope seatpost ready
Rahmenhöhe	Framesize	♂ 45 cm / 50 cm / 55 cm / 60 cm; ♀ & Wave 45 cm / 50 cm / 55 cm
Gabel	Fork	SR Suntour NRX-E LOR Air CTS, 63 mm
Schaltwerk	Gearshift	Shimano Deore XT RD-M8100-SGS Shadow Plus
Gänge	Gear	12 speed
Kurbelgarnitur	Crankset	FSA
Kassette	Cassette	Shimano SLX CS-M7100 10-51T

Bremsen	Brakes	Shimano BR-MT420/410 hydraulic disc 180/180
Lenker	Handlebar	BULLS aluminium
Vorbau	Stem	SUV-i, CCS with internal cable routing and adjustable
Sattelstütze	Seatpost	BULLS aluminium
Sattel	Saddle	Comodoro
Naben	Hubs	Shimano HB-M6000QR/ FH-MT500QR
Felgen	Rims	BULLS
Bereifung	Tires	Marathon Racer, 40-622 RaceGuard 28 x 1.50
Pedale	Pedals	Wellgo alloy
Scheinwerfer	Headlight	Fuxon DHL-F250-EB with daytime-light and sensor, 100 Lux
Rücklicht	Taillight	Fuxon R-121-EB

CROSS LITE EVO CARBON

CITY/TREKKING | BOSCH

carbon matt, grey matt, black, red
722-52950

400 Wh / 500 Wh / 625 Wh



HERREN

WAVE



carbon matt, grey
matt, black, red
722-53145

carbon matt, grey
matt, black, red
722-53045



Antrieb	Drivetrain	Bosch Performance Line CX GEN4
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.
Display	Display	Bosch KIOX
Rahmen	Frame	carbon, internal cable routing, telescope seatpost ready
Rahmenhöhe	Framesize	♂ + ♀ 50 cm / 55 cm / 60 cm; Wave 45 cm / 50 cm / 55 cm
Gabel	Fork	SR Suntour NCX-E LO Air CTS, 63 mm
Schaltwerk	Gearshift	Shimano XT RD-M8100 Shadow Plus
Gänge	Gear	12-speed
Kurbelgarnitur	Crankset	FSA
Kassette	Cassette	Shimano SLX CS-M7100, 10-51T

Bremsen	Brakes	Shimano BR-MT400 hydraulic disc, 180/180 mm
Lenker	Handlebar	BULLS
Vorbau	Stem	SUVi, CCS with internal cable routing and adjustable
Sattelstütze	Seatpost	BULLS
Sattel	Saddle	Comodoro
Felgen	Rims	Mach1 Neo Disc
Bereifung	Tires	Marathon Almotion 50-622 RaceGuard 28 x 2.00
Pedale	Pedal	Wellgo, with sand pape
Scheinwerfer	Headlight	Fuxon DHL-F250EB, 100 Lux, with daytime-light and sensor
Rücklicht	Taillight	Fuxon R-121-EB
Gepäckträger	Rack	i-RACK II system carrier

BOSCH
Urban

URBAN EVO 12

emerald green matt, black
744-42545

URBAN | BOSCH

400 Wh / 500 Wh / 625 Wh



emerald green matt, black
744-42945



emerald green matt, black
744-43345

PowerTube
625 Wh ready*



VIDEO
ON MEMBERS
AVAILABLE

Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Bremsen	Brakes	Shimano BR-MT200 hydraulic disc, 180/180 mm Center Lock
Ladegerät	Charger	2A	Lenker	Handlebar	aluminium
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.	Vorbau	Stem	aluminium
Display	Display	Bosch Purion	Sattelstütze	Seatpost	aluminium 10 mm Offset
Rahmen	Frame	aluminium 6061	Sattel	Saddle	Leather
Rahmenhöhe	Framesize	♂ 45 cm / 50 cm / 55 cm / 60 cm; ♀ + Wave 45 cm / 50 cm / 55 cm	Naben	Hubs	Shimano HB-MT400/ FH-MT500QR
Gabel	Fork	SR Suntour SF17 NCX E LO AIR CTS, 63 mm	Felgen	Rims	BULLS DDM-2
Schaltwerk	Gearshift	Shimano Deore XT RD-M8100-SGS Shadow Plus	Bereifung	Tires	Schwalbe Big Ben K-Guard, 50-622, 28 x 1.75
Gänge	Gear	12-speed	Pedale	Pedals	Wellgo C-211 mit sand paper
Kurbelgarnitur	Crankset	FSA	Scheinwerfer	Headlight	Supernova V521
Kassette	Cassette	Shimano Deore CS-M6100-12, 10-51T	Rücklicht	Taillight	Supernova E3
			Gepäckträger	Carrier	i-RACK II system carrier, MonkeyLoad ready

URBAN EVO 12 RAINBOW

URBAN | BOSCH

metallic off white, stealth grey
744-42645

400 Wh / 500 Wh / 625 Wh

28



Abbildung ähnlich



metallic off white,
stealth grey
744-43045



metallic off white,
stealth grey
744-43445

Oil-Slick-Optik (Rainbow)

- Kette / Chain
- Naben / Hubs
- 2 Speichen pro Laufrad /
2 spokes per wheel



PowerTube
625 Wh ready*

Antrieb	Drivetrain	Bosch Performance Line CX GEN4
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs. 625 Wh: appx. 8,8 hrs.
Display	Display	Bosch Purion
Rahmen	Frame	aluminium 6061
Rahmenhöhe	Framesize	♂ 45 cm / 50 cm / 55 cm / 60 cm; ♀ + Wave 45 cm / 50 cm / 55 cm
Gabel	Fork	SR Suntour SF17 NCX E LO AIR CTS, 63 mm
Schaltwerk	Gearshift	Shimano Deore XT RD-M8100-SGS Shadow Plus
Gänge	Gear	12-speed
Kurbelgarnitur	Crankset	FSA
Kassette	Cassette	Shimano Deore CS-M6100-12, 10-51T

Kette	Chain	KMC E12S Rainbow
Bremsen	Brakes	Shimano Altus BR-MT200 hydraulic disc, 180/180 mm Center Lock
Lenker	Handlebar	aluminium
Vorbau	Stem	aluminium
Sattelstütze	Seatpost	aluminium 10 mm Offset
Sattel	Saddle	Leather
Naben	Hubs	BULLS Rainbow with 2 Rainbow spokes
Felgen	Rims	BULLS DDM-2
Bereifung	Tires	Schwalbe Big Ben K-Guard, 50-622, 28 x 1.75
Pedale	Pedals	Wellgo C-211 mit sand paper
Scheinwerfer	Headlight	Supernova V521
Rücklicht	Taillight	Supernova E3
Gepäckträger	Carrier	i-RACK II system carrier, MonkeyLoad ready

BOSCH Junior

TWENTY 4 E

grey matt, black, metallic lime
744-00132

JUNIOR | BOSCH

400 Wh / 500 Wh



HERREN



MONKEY LINK ready
Easily connects accessories with your bike.



petrol, turquoise, pink
744-00232



Antrieb	Drivetrain	Bosch Active Line Plus	Bremsen	Brakes	Tektro HD-J285 hydraulic disc, 160/160 mm Center Lock
Ladegerät	Charger	2A	Lenker	Handlebar	STYX
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs.	Vorbau	Stem	MTB-S, CCS Slot Mount ready
Display	Display	Bosch Purion	Sattelstütze	Seatpost	STYX
Rahmen	Frame	aluminium 6061	Sattel	Saddle	BULLS
Rahmenhöhe	Framesize	32 cm	Naben	Hubs	Formula DC-19FQR/ DC-25RQR
Gabel	Fork	SR Suntour XCT JR L, 80 mm	Felgen	Rims	STYX DDM-2
Schaltwerk	Gearshift	Shimano Alivio RD-T4000-SGS	Bereifung	Tires	Schwalbe Black Jack K-Guard, 54-507, 24 x 2.10
Gänge	Gear	8-speed	Pedale	Pedal	Wellgo
Kurbelgarnitur	Crankset	Samox	Scheinwerfer	Headlight	Fuxon F-16 EB 30 Lux
Kassette	Cassette	Shimano CS-HG31-8 11-34T	Rücklicht	Taillight	Fuxon ML-009

TWENTY 6 EVO TEAM

black matt, white, platinum blue, yellow
724-07132

JUNIOR | BOSCH

400 Wh / 500 Wh



HERREN



MONKEY LINK ready
Easily connects accessories with your bike.



Antrieb	Drivetrain	Bosch Performance Line
Ladegerät	Charger	2A
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs.
Display	Display	Bosch Purion
Rahmen	Frame	aluminium 6061
Rahmenhöhe	Framesize	32 cm / 37 cm
Gabel	Fork	SR Suntour SF-16-XCR air LOR DS, 100 mm
Schaltwerk	Gearshift	Shimano Deore RD-M6000GS, Shadow Plus
Gänge	Gear	10-speed
Kurbelgarnitur	Crankset	FSA
Kassette	Cassette	Shimano CS-HG500-10, 11-42T

Bremsen	Brakes	Shimano BR-MT500 hydraulic disc, 180/180 mm
Lenker	Handlebar	BULLS aluminium
Vorbau	Stem	MonkeyLink
Sattelstütze	Seatpost	BULLS
Sattel	Saddle	BULLS MTB JR
Naben	Hubs	Shimano
Felgen	Rims	STYX DDM-2
Bereifung	Tires	Schwalbe Nobby Nic Performance 57-559, 26 x 2.25
Pedale	Pedal	VP Junior

BOSCH

Road/Gravel

DESERT FALCON EVO

ROAD/GRAVEL | BOSCH

black matt, metallic lime
724-36350

400 Wh / 500 Wh



HERREN



black chrome, red
724-36450



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kassette	Cassette	Shimano XT CS-M8000 11-42T
Ladegerät	Charger	2A	Bremsen	Brakes	Shimano GRX BR-RX810 hydraulic disc, 180/180 mm
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs.	Lenker	Handlebar	FSA Energy SCR Compact
Display	Display	Bosch KIOX	Vorbau	Stem	FSA ACR, internal cable routing
Rahmen	Frame	aluminium	Sattelstütze	Seatpost	ULLS Duroflex Carbon
Rahmenhöhe	Framesize	50 cm / 55 cm / 60 cm	Sattel	Saddle	BULLS
Gabel	Fork	BULLS FK-34, Carbon	Naben	Hubs	DT Swiss
Schaltwerk	Gearshift	Shimano GRX RD-RX817 Di2	Felgen	Rims	DT Swiss HE1800 db 32
Gänge	Gear	11-speed	Bereifung	Tires	E-One Evo, 32-622, 28 x 1.25
Kurbelgarnitur	Crankset	FSA			

GRINDER EVO CX

ROAD/GRAVEL | BOSCH

copper brown, black matt
724-36650

400 Wh / 500 Wh



HERREN



Antrieb	Drivetrain	Bosch Performance Line CX GEN4	Kurbelgarnitur	Crankset	FSA
Ladegerät	Charger	2A	Kassette	Cassette	Shimano GRX CS-M8000 11-42T
Ladedauer	Charging time	400 Wh: appx. 6,5 hrs. 500 Wh: appx. 7,5 hrs.	Bremsen	Brakes	Shimano GRX BR-RX810 hydraulic disc, 180/180 mm
Display	Display	Bosch KIOX	Lenker	Handlebar	FSA SCR Compact
Rahmen	Frame	aluminium	Vorbau	Stem	FSA Energy ACR
Rahmenhöhe	Framesize	50 cm / 55 cm / 60 cm	Sattelstütze	Seatpost	BULLS Duroflex Carbon
Gabel	Fork	Fox 32 Float 44 mm	Sattel	Saddle	BULLS
Schaltwerk	Gearshift	Shimano GRX RD-RX817 Di2	Felgen	Rims	BULLS XC-21D ready
Gänge	Gear	11-speed	Bereifung	Tires	Schwalbe G-One Allround 40-622, 28 x 1.50